

Agricultural Attachments

For Telehandlers, Tractor Loader Backhoes, & Wheel Loaders



PALADIN LIGHT CONSTRUCTION


FEATURES:

- provides the most cost effective and efficient way to complete your job
- manufactured with high quality, ensuring a long and productive life
- 1 year warranty



Bale Carriage & Bale Fork

BALE CARRIAGE






FEATURES:


- designed to pick-up & transfer ag materials
- excellent visibility
- for round or square bale application
- large heavy duty frame
- 4 replaceable tines standard
- 1 year warranty

Specifications

A. tine length	51"
B. height	69"
C. tine spacing	22"
D. overall width	72"
E. tine diameter	2"
weight (approximate)	975 lbs



BALE FORK





FEATURES:

- flat eight fork
- replaceable hooks
- hooks made with high strength T1 abrasion resistant steel
- handles 8 small square bales, flat or on sides
- picks-up bales in a tight formations for easy handling
- 1 year warranty

Specifications

A. overall length without mount	81"
B. profile height	29"
C. tine spacing	13"
D. tine spacing	6.5"
E. overall width	78"
hook depth	4.5"
weight (approximate)	1190 lbs



PH: (800) 922-2981
FX: (563) 922-2700

P.O. Box 266
Delhi, IA 52223-0266
United States of America

www.paladinbrands.com


M-AG 0604-1



PALADIN LIGHT CONSTRUCTION

Bale Grab & Bale Hugger

BALE GRAB






FEATURES:


- handles three 3' bales or two 4' bales
- 85" wide by 96" high
- hooks made with high strength T1 abrasion resistant steel
- single auxiliary hydraulic circuit
- replaceable hooks & tines
- forged straight spear tines
- 1 year warranty

Specifications


A. overall height	96"
B. large tine length	28"
C. large tine spacing	18"
D. hook depth	9.5"
E. hook spacing	15"
F. overall width	85"
weight (approximate)	1098 lbs



BALE HUGGER



3 & 4 ft square bale





6 ft round Bale

FEATURES:

- 6 ft opening arms hold hay & round bales
- tubular construction gives added strength and eliminates damage to plastic wrapped bales
- exclusive dual pilot operated hydraulic check valve for positive non-slip grip
- fully assembled including hydraulic hoses & hydraulic couplers
- 1 year warranty

Specifications

Specifications	3 & 4 ft Bale	6 ft Bale
A. arm height	29"	36"
B. overall length	varies	82"
C. arm reach	40"	65"
D. closed width	37"	39"
E. open width	66"	86"
weight (approximate)	825 lbs	764 lbs



PH: (800) 922-2981
FX: (563) 922-2700

P.O. Box 266
Delhi, IA 52223-0266
United States of America

www.paladinbrands.com

M-AG 0604-1



PALADIN LIGHT CONSTRUCTION

Bale Spike & Bale Squeeze

BALE SPIKE




FEATURES:


- various mountings available
- replaceable tines
- models available for one and two large round bales or one and two large square bales
- 1 year warranty



1 bale
 (1) 49" round tine
 (2) 1" x 16" stabilizers
 12½" tine spacing
 20" top tine




large square bale
 (2) 49" forged tines
 (2) 1.25" x 28" stabilizers
 64" top forged tine spacing



2 round bales
 (2) 49" forged tines
 (4) 1.25" x 28" stabilizers
 51" top forged tine spacing

BALE SQUEEZE




FEATURES:


- 48" & 110" sizes
- single auxiliary hydraulic circuit
- load check for positive holding lock
- two long arms with unique design to allow full contact with bales
- fully welded round tube design
- 1 year warranty

Specifications	48"	110"
A. tine length	88"	88"
B. overall height	35"	33"
C. overall length (may vary)	103"	103"
D. squeeze width	43"	70"
E. clamp open	60"	107"
weight (approximate)	1450 lbs	1600 lbs

48" bale squeeze



110" bale squeeze



PH: (800) 922-2981
 FX: (563) 922-2700

P.O. Box 266
 Delhi, IA 52223-0266
 United States of America

www.paladinbrands.com


M-AG 0604-1




PALADIN LIGHT CONSTRUCTION

Hay Grapple Bucket & Manure Fork

HAY GRAPPLE BUCKET






Dedicated Grapple



Bolt-On Grapple

FEATURES:

- optional grapple with spill screen
- single auxiliary hydraulic circuit
- optional bolt-on cutting edge
- 1.75 yd bucket, 96" width
- dual load checked cylinders
- replaceable hooks
- 1 year warranty



Specifications


	dedicated	bolt-on
A. grapple opening	73"	78"
B. overall height	57"	57"
C. overall depth (may vary)	68"	72"
D. bucket width	96"	95"
E. tine spacing	22"	22"
F. overall grapple width	96"	96"
weight (approximate)	2100 lbs	2100 lbs

MANURE FORK & GRAB





FEATURES:

- single auxiliary hydraulic circuit
- dual cylinders
- replaceable tines
- 1 year warranty



Specifications

A. overall depth	61"
B. effective inside height	39"
C. tine diameter	2"
D. length of tine	34"
E. overall height	50"
F. overall width	72", 90", 96"
G. grapple spacing	30"
H. grapple diameter	75"
I. tine spacing	9"
weight (approximate)	2100 lbs



PH: (800) 922-2981
FX: (563) 922-2700

P.O. Box 266
Delhi, IA 52223-0266
United States of America

www.paladinbrands.com


M-AG 0604-1



PALADIN LIGHT CONSTRUCTION

Silage Defacer

SILAGE DEFACER





Specifications

A. fix depth	0" to 3"
B. reach	5'
C. overall length	8"
weight (approximate)	1130 lbs

FEATURES:

- converging auger with helix pick design tines loosens silage from tightly compacted bunkers
- maintains smooth, compacted bunker face for reduced spoilage
- better mixing of moisture content, feed condition & quality from top to bottom of bunker improves palatability so cows clean-up the feed bunk and leave less to spoil
- piercing action provides a non-sizing solution to bunker silage removal. Does not cut silage material allowing for optimum digestibility yielding higher milk production
- open design allows operator to see bunker face & remain clog free
- adjustable guides for depth of cut
- 96" full width cut allows defacer to cut next to walls and straight through to back of bunker allowing side by side feeding of hayage and silage in a single bunker
- picks made from abrasion resistant, high strength material for long life
- high strength No. 80 chain drive with quick-n-easy chain tension adjustment (ratchet cam)
- working height from 0 to 19 ft. depending on loader lift height
- 1 year warranty



PH: (800) 922-2981
FX: (563) 922-2700

P.O. Box 266
Delhi, IA 52223-0266
United States of America

www.paladinbrands.com

M-AG 0604-1



PALADIN LIGHT CONSTRUCTION